

SPECIFICATION SHEET

 1633 Staunton Ave

 Los Angeles, CA
 90021

 TEL.
 FAX.


 (800) 727-9262
 (800) 727-9957

 (213) 747-4500
 (213) 747-3234

E-Mail: sales@coronalighting.com

	TURAL GRADE SERI						EEI E-Mail: s	
PRO	DUCT # : C	L-639			•Area	Lights		• Aluminum
ixture	e Specificatio	ns:						
ousing:	Aluminum				Wiring	:	Fixture is prewired with a 3	
tem:	18" Aluminum pipe with $\frac{1}{2}$ " NPT on bottom. 12" stem is also available.						Wire connector sold seperately. Universal connect (CX-839), & silicone filled wire nut (CX-854) are available from Corona Lighting.	
inish:	Polyester UV powder coated, available in BK-Black and BZ- Bronze			Black	Mounti	ng Spike:	Standard injection molded threaded female hub.	spike with ½" NPT
ens:	Clear tempered glass, cover over lamp providing sprinkler water protection.			ng	Electrical Notes:		A remote 12V transformer is required. Options are available from Corona Lighting. Voltage range for LED lamps are 8V-21V. Proper grease/lubricant is suggested on threaded parts during installation process.	
ocket:	Top grade fixed ceramic bi-pin socket. Easy tool free lamp access.			bl				
_amp:	12V, T3, 20W max. Available in LED (2W & 2.5W) or without lamp. See Lamp guide below for more information.				Warranty:		Five (5) year warranty on against manufacturer's def	ixture housing and stem
	CL-639-BZ 18" Standard Stem Shown			 2W	E D & 2.5W			CL-639-BK-12 12" Stem Optional) Shown
VAILAB	LE LED LAMPS (Cord							
	BER WATTS	BEA SPREAD	LUMEN	COLOR & TEMP.	RATED HOURS	HALOGEN EQUIVALEN		DATE:
			200	2700K	25,000	20 Watt 35 Watt	JOB NAME & ADDRESS:	
EDT3-2W	V 2	360° 180°		2700K	25 000			
EDT3-2W EDT3-2.5 EDT3-2W	V 2 5W 2.5 V-3K 2	180° 360°	240 210	2700K 3000K	25,000 25,000	20 Watt	-	
EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5	V 2 5W 2.5 V-3K 2 5W-3K 2.5	180°	240				- PRODUCT #:	
EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5 EDT3-AM	V 2 5W 2.5 V-3K 2 5W-3K 2.5 1 ^(*) 2	180° 360° 180° 360°	240 210 250 170	3000K 3000K	25,000 25,000	20 Watt 35 Watt	- PRODUCT #: - TOTAL QUANTITY:	
EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5 EDT3-AM AM- Amber c	V 2 5W 2.5 V-3K 2 5W-3K 2.5 1 [★] 2	180° 360° 180° 360°	240 210 250 170	3000K 3000K	25,000 25,000	20 Watt 35 Watt	_	
EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5 EDT3-AM AM- Amber c	V 2 5W 2.5 V-3K 2 5W-3K 2.5 № 2 color	180° 360° 180° 360°	240 210 250 170	3000K 3000K	25,000 25,000	20 Watt 35 Watt	TOTAL QUANTITY:	
EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5 EDT3-AM AM- Amber c	V 2 5W 2.5 V-3K 2 5W-3K 2.5 № 2 color	180° 360° 180° 360°	240 210 250 170	3000K 3000K	25,000 25,000	20 Watt 35 Watt	TOTAL QUANTITY:	
EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5 EDT3-AM AM- Amber c	V 2 5W 2.5 V-3K 2 5W-3K 2.5 № 2 color	180° 360° 180° 360°	240 210 250 170	3000K 3000K	25,000 25,000	20 Watt 35 Watt	TOTAL QUANTITY: LAMP TYPE & WATTAGE TRANSFORMER:	
AMP NUME EDT3-2W EDT3-2.5 EDT3-2W EDT3-2.5 EDT3-AM AM- Amber c or more additi	V 2 5W 2.5 V-3K 2 5W-3K 2.5 № 2 color	180° 360° 180° 360°	240 210 250 170	3000K 3000K	25,000 25,000	20 Watt 35 Watt	TOTAL QUANTITY: LAMP TYPE & WATTAGE TRANSFORMER: CONTRACTOR:	

1





ACCESSORIES SHEET

Area Lights

 1633 Staunton Ave

 Los Angeles, CA 90021

 TEL.
 FAX.

 (800) 727-9262
 (800) 727-9957

 (213) 747-4500
 (213) 747-3234

E-Mail: sales@coronalighting.com

Aluminum

PRODUCT # : CL-639

Mounting Brackets

CX-700-BK

CX-700	Aluminum Bracket, ½" NPT Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White
CX-704	Aluminum Bracket, ½" NPT

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White

3³/4"



Cable Connectors

CX-854	Direct Burial Silicone Filled Wire Nut, Tan
CX-858	Speedy Cable Connector, Supply Cable up to 10-2, Black
CX-839	Universal cable connector, Supply cable up to 8-2, one/Pack Black



