

## SPECIFICATION SHEET

**PRODUCT # : CL-744-BT-AB**

•Path Lights

•Cast Brass

### Fixture Specifications:

**Housing:** Corrosion Resistant Cast Brass

**Stem:** 24" solid brass pipe with 1/2" NPT on bottom.  
*Stem is also available in 18".*

**Finish:** **AB-** Antique Bronze  
Natural Toning process, color may vary.  
Also available in **GM-** Gun Metal

**Lens:** Clear, Flat Tempered Glass Lens  
*15° & 60° reflectors included (see page 2)*

**Light Source:** Replacable 1-6W RGB LED module. Lumen output is between 15LM - 450LM. Standard 38° beam spread, with 15° & 60° options also included.

**LED Features:** CCT Options: Presets: 2700K, 3000K, 4000K, 5000K  
RGB : Unlimited color wheel options & quick presets.  
Dimming: Every color choice  
Scenes: Customizable scenes with up to 8 colors.  
Compatibility: Amazon's Alexa and Google Home  
Music: The lights will follow music collected by a phone microphone.

**Knuckle:** Swivel cast brass knuckle with thumb screw and 1/2" NPT threaded male hub on bottom.



**Gasket:** Silicone double gasketed for water-tight sealing

**Wiring:** Fixture is prewired with a 10ft 18-2 SPT-2W direct burial cord. Wire connector sold separately. Universal connector (**CX-839**), and silicone filled wire nut (**CX-854**) are available from Corona Lighting.

**Mounting Spike:** Standard injection molded 8 1/2" large spike with 1/2" NPT threaded female hub on bottom.



**Electrical Notes:** A remote 12V transformer is required. Options are available from Corona Lighting. Voltage range for LED module is 10V-15V. Proper grease/lubricant is suggested on threaded parts during installation process.

**Warranty:** Lifetime limited warranty on fixture housing. Ten (10) years warranty on LED module.



### SMART ACCESSORIES

CX-BTE Bluetooth Range Extender  
CX-BTG Wireless Bluetooth Mesh Gateway



### JOB INFORMATION

TYPE: DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

## ACCESSORIES SHEET


### PRODUCT # : CL-744-BT-AB

•Path Lights

•Cast Brass

#### Mounting Pedestals

- CX-601-BK 1" PVC Mounting Pedestal, ½" NPT, **Black**
- CX-601-VG 1" PVC Mounting Pedestal, ½" NPT, **Verde Green**
- CX-603-BK 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, **Black**
- CX-603-VG 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, **Verde Green**



- CX-604-BK 1" PVC Adjustable Mounting Pedestal, ½" NPT, **Black**
- CX-621-BK 1" PVC Cap, ½" NPT, **Black**
- CX-621-VG 1" PVC Cap, ½" NPT, **Verde Green**
- CX-622-BK 2" PVC Cap, ½" NPT, **Black**
- CX-622-VG 2" PVC Cap, ½" NPT, **Verde Green**
- CX-624-BK 3" PVC Cap, ½" NPT Female Brass Hub, **Black**
- CX-624-VG 3" PVC Cap, ½" NPT Female Brass Hub, **Verde Green**


#### Reflectors (Free Pack-in)

- 15D 15° Reflector
- 60D 60° Reflector



#### Ground Spikes




- CX-642-BK 8.5" ABS Spike, ½" NPT, **Black**
- CX-642-BZ 8.5" ABS Spike, ½" NPT, **Bronze**
- CX-643-BZ 8.5" ABS Spike, ½" NPT, **Bronze**



- CX-646-BK 8" ABS Spike, ½" NPT, **Black**
- CX-646-BR 8" ABS Spike, ½" NPT, **Natural Brass**
- CX-646-SS 8" ABS Spike, ½" NPT, **Stainless Steel**
- CX-647-BK 10.5" Heavy Duty ABS Spike, ½" NPT, **Black**

#### Mounting Canopies

- CX-705B-AB Brass Flat Canopy, ½" NPT, **Antique Bronze**
- CX-709B-AB Brass Raised Canopy, ½" NPT, **Antique Bronze**
- CX-718B-AB 5" Brass Canopy, 3-Hole ½" NPT, **Antique Bronze**



### PRODUCT # : CL-744-BT-AB

•Path Lights

•Cast Brass

#### Mounting Risers

- CX-682B-AB 6" Brass Riser, ½ NPT Male/Female, **Antique Bronze**
- CX-683B-AB 12" Brass Riser, ½ NPT Male/Female, **Antique Bronze**
- CX-684B-AB 18" Brass Riser, ½ NPT Male/Female, **Antique Bronze**
- CX-685B-AB 24" Brass Riser, ½ NPT Male/Female, **Antique Bronze**

#### Cable Connectors

- CX-854 Direct Burial Silicone Filled Wire Nut, **Tan**
- CX-858 Speedy Cable Connector, Supply Cable up to 10-2, **Black**
- CX-839 Universal cable connector, Supply cable up to 8-2, one/Pack **Black**



**CX-682B-AB 6"**




**CX-683B-AB 12"**



**CX-684B-AB 18"**



**CX-685B-AB 24"**



**CX-854**